



Faculty of Pharmacy
Department of Pharmacognosy & Natural Products Chemistry
Panepistimiopolis Zografou
15771, Athens

Tel: +30 210 72 74052 magiatis@pharm.uoa.gr



Athens, 29/10/2020 Cert.Num: 2021-C00196

Analysis Date: 22/10/2020

CERTIFICATE OF ANALYSIS

Brand Name: Green Fresh

Owner: OLIVELAWON I.CH. KAMPOURIS E.E.

Variety: ATHINOELIA

Origin: KORINTHIA GREECE

Harvest Period: October 2020 Production Date: 18/10/2020

Chemical Analysis

F 2 7 7 7 1900 17 4 10 mg 34 444 190 190 190		
Oleocanthal	461	mg/Kg
Oleacein	194	mg/Kg
Oleocanthal + Oleacein (index D1)	655	mg/Kg
Ligstroside aglycon (monoaldehyde form)	67	mg/Kg
Oleuropein aglycon (monoaldehyde form)	68	mg/Kg
Ligstroside aglycon (dialdehyde form)	114	mg/Kg
Oleuropein aglycon (dialdehyde form)	51	mg/Kg
Total tyrosol derivatives	642	mg/Kg
Total hydroxytyrosol derivatives	312	mg/Kg
Total polyphenols analyzed	955	mg/Kg

Comments:

The levels of oleocanthal and oleacein are higher than the average values (135 and 105 mg/Kg respectively) of the sample included in the international study performed at the University of California, Davis.

The daily consumption of 20 g of the analyzed olive oil provides 19.1 mg of hydroxytyrosol, tyrosol or their derivatives. Olive oils that contain >5 mg per 20 gr belong to the category of oils that protect the blood lipids from oxidative stress according to the Regulation 432/2012 of the European Union.

It should be noted that oleocanthal and oleacein present important biological activity and they have been related with anti-inflammatory, antioxidant, cardioprotective and neuroprotective activity.

The chemical analysis was performed according to the method published in J.Agric. Food Chem., 2012, 60 (47) , pp 11696-11703, J.Agric. Food Chem., 2014 62 (3) , 600-607 and OLIVAE, 2015, 122, 22-33.

*Oleomissional+Oleuropeindial **Ligstrodial+Oleokoronal

Magiatis Prokopios

PROKOPIOS MAGIATIS

ASSOCIATE PROFESSOR
UNIVERSITY OF ATHENS
FACILITY OF ATHENS

FACULT PHARMACY
DEPARTMENT OF PHARMACOGNOSY
AND NATURAL PROPERTY SCHEMISTRY